Journal of Imaging Technology

A bimonthly publication of
SPSE—The Society for Imaging Science and Technology

INDEX TO VOLUME 13 1987

Subject 210
Author 211

Number 1, February 1–48
Number 2, April 49–80
Number 3, June 81–102
Number 4, August 103–134
Number 5, October 135–184
Number 6, December 185–214

Subject Index

Black and white film
An image in terms of covering power, 6: 185–188

Chemical management
Developer recycling—a new generation, 3: 85–89
Ion exchange silver recovery: field experience, 3: 89–92

Color
CIELAB spacing of digitally specified colors on a 24-bit CRT monitor, 1: 44–47

Color imaging
New capabilities with dry silver recording materials, 1: 4–7

Color proofing
A new model of dot gain and its application to a multilayer color proof, 5: 136–145

Computers
CIELAB spacing of digitally specified colors on a 24-bit CRT monitor, 1: 44–47

Data analysis
Detecting the edges of a square using a two-level data hierarchy, 6: 189–190

Development
Model of conductive magnetic brush development, 1: 29–37

Diffusion transfer
A computer model for diffusion effects in the Polaroid polachrome system, 3: 81–85

Digital imaging
Hardcopy output of reconstructed imagery, 5: 167–178
Landsat image map production methods at the U.S. geological survey, 3: 93–96
The impact of optical recording on digitized imaging, 5: 165–166

Digital video
Prediction of display colorimetry from digital video signals, 4: 103–108

Displays
Perceptual analysis and simulation of color monitor displays, 5: 163–165
Prediction of display colorimetry from digital video signals, 4: 103–108
Projection of display technology, 4: 108–115

Dot gain
A new model of dot gain and its application to a multilayer color proof, 5: 136–145

Dry silver
New capabilities with dry silver recording materials, 1: 4–7

Edge effects
Detecting the edges of a square using a two-level data hierarchy, 6: 189–190

Education
The challenge of minilab education, 1: 38–43

Electronic imaging
A high resolutin 9.5-in. dry silver/wet film LBR for tactical application, 5: 179–184
A stable structure approach to automated scene understanding and awareness with multipolarized SAR image data, 6: 195–201
CIELAB spacing of digitally specified colors on a 24-bit CRT monitor, 1: 44–47
Design and implementation of a knowledge based system for remotely sensed change detection, 4: 116–122
Landsat image map production methods at the U.S. geological survey, 3: 93–96
Perceptual analysis and simulation of color monitor displays, 5: 163–165
Prediction of display colorimetry from digital video signals, 4: 103–108
Projection display technology, 4: 108–115

Electronics
Dichromated poly(vinyl butyral) photoresist with improved stability, 2: 75–79
On the modeling of spin coating, 4: 122–130

Electrophotography
A microscopic theory of magnetic brush development with sponge carrier, 2: 60–67

Electrostatic images
Toning process and design of toning stations for a single-pass color electrostatic plotter, 2: 68–74

Electrostatic plotter
Toning process and design of toning stations for a single-pass color electrostatic plotter, 2: 68–74

Environmental conditions
A study of environmental conditions associated with customer keeping of photographic prints, 2: 49–54

Graphic arts
A high resolution 9.5-in. dry silver/wet film LBR for tactical application, 5: 179–184
A new model of dot gain and its application to a multilayer color proof, 5: 136–145
Effects of pictorial content on preferred gray balance in four-color halftone proofs, 5: 150–157
Hardcopy output of reconstructed imagery, 5: 167–178
Perceptual analysis and simulation of color monitor displays, 5: 163–165
Resolution as an exposure determinant for negative-acting presensitized printing plates, 5: 158–163
The influence of instrument geometry and filter choice on density and dot area measurement, 5: 145–150

Halftones
Effects of pictorial content on preferred gray balance in four-color halftone proofs, 5: 150–157

Hardcopy
Hardcopy output of reconstructed imagery, 5: 167–178

Illumination
Implementation of recommended ocular exposure thresholds for the evaluation of xenon flashes, 1: 8–14

Image evaluation
An introduction to the theory of image degradation, 4: 130–133
Considerations in measuring transmission density, 1: 1–3
Detecting the edges of a square using a two-level data hierarchy, 6: 189–190
Quantitative analysis of print quality features, 6: 202–207
The influence of instrument geometry and filter choice on density and dot area measurement, 5: 145–150

Image preservation
A study of environmental conditions associated with customer keeping of photographic prints, 2: 49–54

Ion-jet printing
Cobalt ferrite fluids and their application to magnetic ink-jet printing, 2: 55–59

Ion exchange
Ion exchange silver recovery: field experience, 3: 89–92

Laser beam recorders
A high resolution 9.5-in. dry silver/wet film LBR for tactical application, 5: 179–184

Magnetic brush
Model of conductive magnetic brush development, 1: 29–37

Magnetic brush development
A microscopic theory of magnetic brush development with sponge carrier, 2: 60–67

Magnetic ink
Cobalt ferrite fluids and their application to magnetic ink-jet printing, 2: 55–59

Magneto-optics
Design and application of magneto-optic image bars (LiSA), 1: 15–29

Materials
Materials for thermal transfer printing, 3: 97–102

Microelectronics
Dichromated poly(vinyl butyral) photoresist with improved stability, 2: 75–79

Modeling
A computer model for diffusion effects in the Polaroid polachrome system, 3: 81–85

Non-impact printing
Cobalt ferrite fluids and their application to magnetic ink-jet printing, 2: 55–59
Design and application of magneto-optic image bars (LiSA), 1: 15–29
Materials for thermal transfer printing, 3: 97–102
Model of conductive magnetic brush development, 1: 29–37
Quantitative analysis of print quality features, 6: 202–207

Optical storage
The impact of optical recording on digitized imaging, 5: 165–166

Permanence
A study of environmental conditions associated with customer keeping of photographic prints, 2: 49–54

Photofinishing
Developer recycling—a new generation, 3: 85–89
The challenge of minilab education, 1: 38–43

Photographic imaging
A computer model for diffusion effects in the Polaroid polachrome system, 3: 81–85
An image in terms of covering power, 6: 000–000
An introduction to the theory of image degradation, 4: 130–133
Developer recycling—a new generation, 3: 85–89
Implementation of recommended ocular exposure thresholds for the evaluation of xenon flashes, 1: 8–14
New capabilities with dry silver recording materials, 1: 4–7

Photoresist
Dichromated poly(vinyl butyral) photoresist with improved stability, 2: 75–79

Physical development
An image in terms of covering power, 6: 000–000

Presensitized plates
Resolution as an exposure determinant for negative-acting presensitized printing plates, 5: 158–163

Processes
On the modeling of spin coating, 4: 122–130

Projection
Projection display technology, 4: 108–115

Proofing
Effects of pictorial content on preferred gray balance in four-color halftone proofs, 5: 150–157

Recording
A stable structure approach to automated scene understanding and awareness with multipolarized SAR image data, 6: 195–201

Remote sensing
Design and implementation of a knowledge based system for remotely sensed change detection, 4: 116–122
The Landsat sensors' status, application and plans, 6: 191–195

SAR
A stable structure approach to automated scene understanding and awareness with multipolarized SAR image data, 6: 195–201

Satellite systems
Design and implementation of a knowledge based system for remotely sensed change detection, 4: 116–122
Landsat image map production methods at the U.S. geological survey, 3: 93–96
The Landsat sensors' status, application and plans, 6: 191–195

Sensors
The Landsat sensors' status, application and plans, 6: 191–195

Silver recovery
Ion exchange silver recovery: field experience, 3: 89–92

Spin coating
On the modeling of spin coating, 4: 122–130

Systems analysis
An introduction to the theory of image degradation, 4: 130–133

Thermal transfer printing
Materials for thermal transfer printing, 3: 97–102

Toning process
Toning process and design of toning stations for a single-pass color electrostatic plotter, 2: 68–74

Transmission density
Considerations in measuring transmission density, 1: 1–3

Author Index

Abe, T. See Tanaka, Y., 202–207
Anczurowski, E.
—; Sanders, D. J.: Materials for thermal transfer printing, 3: 97–102
Anderson, S.
—; Larson, G.: A study of environmental conditions associated with customer keeping of photographic prints, 2: 49–54
Barbo, B. C.
Ion exchange silver recovery: field experience, 3: 89–92
Basile, R. J. See Compton, B. L., et al., 179–184
Beardsley, G. See Lee, M. H., 29–37
Berns, R. S. See Fairchild, M. D., 8–14
Binnie, D. R. See Kidwell, R. D., et al., 93–96
Boersma, T. T.
Dichromated poly(vinyl butyral) photoresist with improved stability, 2: 75–79
Borgmann, L. See Hill, B., et al., 15–29
Bornside, D. E.
—; Macosko, C. W., Scriven, L. E.: On the modeling of spin coating, 4: 122–130
Boyack, J. R.
A computer model for diffusion effects in the Polaroid polachrome system, 3: 81–85
Byer, R. J.
Considerations in measuring transmission density, 1: 1–3
Cavin, R. D. See Fisch, R. S., 158–163
Chandrasekhar, R.
—; Charles, S. W., O'Grady, K.: Cobalt ferrite fluids and their application to magnetic ink-jet printing, 2: 55–59
Charles, S. W. See Chandrasekhar, R., et al., 55–59
Colestock, R. O.
Effects of pictorial content on preferred gray balance in four-color halftone proofs, 5: 150–157
Compton, B. L.
—; Basile, R. J., Herzog, D. G., Schweitzer, C. C.: A high resolution 9.5-in. dry silver/wet film LBR for tactical application, 5: 179–184
Dizechi, M.
Toning process and design of toning stations for a single-pass color electrostatic plotter, 2: 68–74
Dolezalek, F. See Wordel, H., 145–150
Fairchild, M. D.
—; Implementation of recommended ocular exposure thresholds for the evaluation of xenon flashes, 1: 8–14
Famighetti, J. A. See Hsu, S.-Y., 195–201

Feigenblatt, R. I.
Projection display technology, 4: 108–115
Fisch, R. S.
—; Cavin, R. D.: Resolution as an exposure determinant for negative-acting presensitized printing plates, 5: 158–163
Fowler, K. J. See Schein, L. B., et al., 60–67
Hartmann, W. T.
—; Madden, T. E.: Prediction of display colorimetry from digital video signals, 4: 103–108
Herzog, D. G.
Hardcopy output of reconstructed imagery, 5: 167–178
See also Compton, B. L., et al., 179–184
Hill, B.
—; Schmidt, K.-P., Borgmann, L., Meyer, H., Much, G.: Design and application of magneto-optic image bars (LiSA), 1: 15–29
Hsu, S.-Y.
—; Famighetti, J. A.: A stable structure approach to automated scene understanding and awareness with multipolarized SAR image date, 6: 195–201
Huntsman, J. R.
A new model of dot gain and its application to a multilayer color proof, 5: 136–145
Kidwell, R. D.
—; Binnie, D. R., Martin, S.: Landsat image map production methods at the U.S. geological survey, 3: 93–96
Klopfenstein, R. W. See Pica, A. P., 163–165
Lansing, Jr., J. C.
The Landsat sensors' status, application and plans, 6: 191–195
Larson, G. See Anderson, A., 49–54
Lee, M. H.
—; Beardsley, G.: Model of conductive magnetic brush development, 1: 29–37
Macosko, C. W. See Bornside, D. E., et al., 122–130
Madden, T. E. See Hartmann, W. T., 103–108
Marshall, G. See Schein, L. B., et al., 60–67
Martin, S. See Kidwell, R. D., et al., 93–96
Meckl, H.
Developer recycling—a new generation, 3: 85–89
Meyer, H. See Hill, B., et al., 15–29
Morgan, D. A.
New capabilities with dry silver recording materials, 1: 4–7
Much, G. See Hill, B., et al., 15–29
Newkirk, R. See Wang, F., 116–122
O'Grady, K. See Chandrasekhar, R., et al., 55–59
Pica, A. P.
—; Klopfenstein, R. W.: Perceptual analysis and simulation of color monitor displays, 5: 163–165
Rossi, T. D.
The challenge of minilab education, 1: 38–43
Sanders, D. J. See Anczurowski, E., 97–102
Saunders, B.
CIELAB spacing of digitally specified colors on a 24-bit CRT monitor, 1: 44–47
Schein, L. B.
—; Fowler, K. J., Marshall, G., Ting, V.: A microscopic theory of magnetic brush development with sponge carrier, 2: 60–67
Schmidt, K.-P. See Hill, B., et al., 15–29
Schweitzer, C. C. See Compton, B. L., et al., 179–184
Scriven, L. E. See Bornside, D. E., et al., 122–130
Spiegal, A.
An image in terms of covering power, 6: 185–188
Tanaka, Y.
—; Abe, T.: Quantitative analysis of print quality features, 6: 202–207
Ting, V. See Schein, L. B., et al., 60–67
Vogelgesang, P. J.
The impact of optical recording on digitized imaging, 5: 165–166
Wang, F.
—; Newkirk, R.: Design and implementation of a knowledge based system for remotely sensed change detection, 4: 116–122
Williams, J. R.
An introduction to the theory of image degradation, 4: 130–133
Wordel, H.
—; Dolezalek, F.: The influence of instrument geometry and filter choice on density and dot area measurement, 5: 145–150
Zokaites, D.
Detecting the edges of a square using a two-level data hierarchy, 6: 189–190